Please replace all prior claims in the application with the following:

Claims 1-24 (canceled)

- Claim 25 (currently amended): A <u>pharmaceutical</u> composition of matter comprising a <u>pharmaceutical dosage form</u>, wherein the pharmaceutical dosage form includes:
 - (a) an α amino acid for stabilizing the composition;
 - (b) an optional auxiliary agent for manufacturing the pharmaceutical preparation which is different than water; and
 - (c) a 4-amino-3-substituted-butanoic acid derivative selected from gabapentin[[,]] or pregabalin[[,]] 3-aminomethyl-4-cyclohexyl butanoic acid, 3-aminomethyl-5-cyclohexyl-pentanoic-acid, 3-aminomethyl-4-phenyl-butanoic-acid, and 3-aminomethyl-5-phenyl-pentanoic-acid.
- Claim 26 (previously presented): The composition of Claim 25 wherein the α-amino acid is one or more selected from:

L-, D- and DL-forms of neutral α-amino acids;

alkali salts, acid amides, alkyl-substituted derivatives of acid amides or alkyl esters of the L-, D- and DL-forms of acidic α-amino acids;

acid addition salts or monoacylated derivatives of the L-, D- and DL-forms of basic α -amino acids;

α,ω-diaminodicarboxylic acids; and

acidic amino acid-basic amino acid adducts of the L-, D- and DL-forms of acidic α -amino acids and the L-, D- and DL-forms of basic α -amino acids.

Claim 27 (previously presented): The composition of Claim 25 wherein the α-amino acid is one or more selected from:

neutral α-amino acids consisting of glycine, phenylglycine, hydroxyphenylglycine, dihydroxyphenylglycine, L-alanine, hydroxy-L-alanine, L-leucine, hydroxy-L-leucine, dihydroxy-L-leucine, L-norleucine, methylene-L-norleucine, L-ketonorleucine, L-

(Non-Final Amendment—page 2 of 9)

May-27-2005 07:00pm

isoleucine, hydroxy-L-isoleucine, dihydroxy-L-isoleucine, L-valine, hydroxy-L-valine, L-isovaline, L-norvaline, hydroxy-L-norvaline, hydroxy-L-ketonorvaline, L-methionine, L-homomethionine, L-ethionine, L-threonine, acetyl-L-threonine, L-tryptophan, hydroxy-L-tryptophan, methyl-L-tryptophan, L-tyrosine, hydroxy-L-tyrosine, methyl-L-tyrosine, bromo-L-tyrosine, dibromo-L-tyrosine, 3,5-diiodo-L-tyrosine, acetyl-L-tyrosine, chloro-L-tyrosine, L-m-tyrosine, L-levodopa, L-methyldopa, L-thyroxine, L-serine, acetyl-Lserine, L-homoserine, acetyl-L-homoserine, ethyl-L-homoserine, propyl-L-homoserine, butyl-L-homoserine, L-cystine, L-homocystine, methyl-L-cysteine, allyl-L-cysteine, propyl-L-cysteine, L-phenylalanine, dihydro-L-phenylalanine, hydroxymethyl-Lphenylalanine, L-aminobutyric acid, L-aminoisobutyric acid, L-ketoaminobutyric acid. dichloro-L-aminobutyric acid, dihydroxy-L-aminobutyric acid, phenyl-L-aminobutyric acid, L-aminovaleric acid, L-aminohydroxyvaleric acid, dihydroxy-L-aminovaleric acid, L-aminoisovaleric acid, L-aminohexanoic acid, methyl-L-aminohexanoic acid, Laminoheptanoic acid, L-aminooctanoic acid and citrulline and the D- and DL-forms thereof;

7346222928

acidic \alpha-amino acids consisting of L-aspartic acid, L-glutamic acid, L-carbocysteine, L-aminoglutaric acid, L-aminosuccinic acid, L-aminoadipic acid, Laminopimelic acid, hydroxy-L-aminopimelic acid, methyl-L-aspartic acid, hydroxy-Laspartic acid, methyl-L-glutamic acid, methyl-hydroxy-L-glutamic acid, Lmethyleneglutamic acid, hydroxy-L-glutamic acid, dihydroxy-L-glutamic acid and hydroxy-L-aminoadipic acid and the D- and DL-forms thereof;

basic α-amino acids consisting of L-arginine, L-lysine, L-ornithine, L-canavanine, L-canaline, hydroxy-L-homoarginine, hydroxy-L-homoarginine, hydroxy-Lornithine, L-diaminopropionic acid, L-diaminohexanoic acid, L-diaminobutyric acid, Ldiaminovaleric acid, L-diaminoheptanoic acid, and L-diaminooctanoic acid and the Dand DL-forms thereof; and

α,ω-diaminodicarboxylic acids consisting of diaminosuccinic acid. diaminoglutaric acid, diaminoadipic acid and diaminopimelic acid;

provided that, when said α -amino acid is an adipic α -amino acid, it is used in the form of the corresponding alkali salt, acid amide, alkyl-substituted derivative of acid amide or alkyl ester thereof, or

when said α -amino acid is a basic α -amino acid, it is used in the form of the corresponding acid addition salt or monoacylated derivative thereof, or

said acidic α-amino acid and said basic α-amino acid are also used in the form of the corresponding acidic amino acid-basic amino acid adduct.

- Claim 28 (previously presented): The composition of Claim 25 wherein a total amount of the α-amino acid is in the range of 0.001 - 80 moles per mole of the 4-amino-3-substitutedbutanoic acid derivative.
- Claim 29 (currently amended): The composition of Claim 25 wherein the composition pharmaccutical desage form is a liquid.
- Claim 30 (currently amended): The composition of Claim 25 wherein the composition pharmaceutical desage form is a solid.
- Claim 31 (previously presented): The composition of Claim 25 wherein the 4-amino-3substituted-butanoic acid derivative is gabapentin.
- Claim 32 (withdrawn): The composition of Claim 25 wherein the 4-amino-3-substituted-butanoic acid derivative is pregabalin.
- Claim 33 (new): The composition of Claim 25 further comprising water.